

A·R·C·HITECTURAL

ROOF COATINGS



Liquid TPO® WHITE COATING

PRODUCT DATA SHEET

DESCRIPTION

-JRVJE 510¥ 8IJUF \$PBUJOH JT B QSPQSFUBS 5 5/4 * & MFOE PG QTJ "45. %
 QPMZNFST 5IJT JT BO PJM CBTFE QSPEVDU & -0/ ("5*0/ 510¥ 8IJUF %
 \$PBUJOH GMBTIFT MFBWJOH B OPO CSFBUIJOH * 55"/\$ \$FEVDJH \$
 NPOPMJUIJDDPBUJOH *U GPSNT B XBUFS SFQFMFOU \$ & TVSGBD \$UIBU
 FBTJMZ DMFBOT XIJMF SFTJTUJOH NJDSPPSHBOJINT 1 FSGPSNT VDEFS
 TUBOEJOH XBUFS CFUUF S UIBO BMM PUIFS XBUFS CBTFE DPBUJOH "45. %
 TVTUBJOBCMF DPPM SPPG DPBUJOH

RECOMMENDED USES

5IJT QSPEVDU NBZ CF BQQMJFE PWFS NPTU SPRCJOH NBUFS J BMT DQT
 TVDI BT NFUBM #63 .PEJGJFE "TQIBMU .FNCSBOET DPQBSEFE "45. %
 17\$ 510 &1%. FUD

APPLICATION

3PPG *OTVMBUJPO BOE SPPG TVSGBDF UP CF USFBUFE NVU BU DMFBOT B UIJDLOFT
 BOE ESZ *G OFDFTTBSZ SFNPWF BMM EJSU'6 HSPBTF MPPT PFCST FFQFOEJOH PO I
 BOE SFTJEVF CFGPSF BQQMZJOH Do NOT apply over moisture BJS NPWFNFOU BOE UFNQFS
 in or on roof deck. -JRVJE 510¥ 8IJUF \$PBUJOH NBZ CF \$ & "/ 61 #JPEFHSBEBCMF DJUSVT DMF
 BQQMJFE XJUI B SPMMFS TRVFFHFF CSVTI PS TQSBZFS "3 \$ \$ MFBQJOC PSM WCBSTFEVDU
 UIF SBUF PG HBMM POT QFS TRVBSF GFF%) & \$ *0' QBT 1 PTEFE "45. %
 PO XIFSSBOUZ MFWFM EFTJSFE 8IFO BQQMZJOH UP 5JUBOJVN
 UIFSNPQMBTUJDT DPODSFUF PS PUIFS NBTPQSS TVSGBDFTHSPNTBQFS MJUFS
 SFDPNNFOEFE QSJNFS "QQMZ FWFOMZ BU B Avoid breathing fumes and prolonged contact with skin. Do not ingest. Keep
 UFNQFSBUVSF PG ; ' PS HSFBUSF containers covered when not in use. When using, provide proper ventilation. Dispose
 of product and container in accordance with local disposal codes.

BENEFITS

& OFSHZ 4BWJOH \$MFBOT & BTJMZ
 'SFF[F 3FTJTUB \$UBO #F 5JOUFE
 'MFYJCMF 1SFWFOUT 3VTU
 8BUFSQSPPGT /BOP QSPDFTTFE

TECHNICAL DATA

40 - *% 4 8FJHIU "45. %
 40 - *% 4 7PMVNF "45. %
 8 & * () 5 MCT QFS HBMMPO
 7 4 \$ 0 4 5 . NBUFS J BMT DQT
 #3 4 0 / DPQBSEFE "45. %
) "3% / & 44 4IPSF " "45. %
 4503" (& ZFBST VOPQFOFE CFUXFFO

CONSULT ARC TECHNICAL DEPARTMENT
FOR ANSWERS TO ANY QUESTIONS
REGARDING USE OF THIS PRODUCT

4ZTUFN XBSSBOUZ BWBJMBCMF 8IFO TPME TFQBSBUF GSPN TZTUFN UIFSF JT OP XBSSBOUZ HJWFO FYQSFTTFE PS JNQMJFE UISPV
 UFTUFE UP DPOGPN UP UIFT TUBOEBSET 5FTUJOH JT QFSGPSNFE PO B SBOEPN CBTJT CZ PVS JO IPVTF BOE JOEFQFOEFOU UIJSE
 UIF TPF SFTQPOTJCMJUZ PG UIF CVZFS CVZFS T BHFOU PS UIF CVZFS T DVTUPNFS "3\$ BTTVNFT OP SFTQPOTJCMJUZ GPS DPW
 (6"3"/5: 03 8"33"/5: 0' "/: ,*/% *4 ."%& #: "\$& 300' \$0"5"/(4 */\$ 03 *54 46#4*%"3*4 & 913&44&% 03 *.1-*&% 45"56503: #: 01&3"5"0/ 0
 \$04.&5*\$ "11&"3"/\$& .&3\$)"5"#*-5: "/% '*5/&44 '03 " 1"35"\$6-"3 163104&